

Henkel Corporation
710 Ohio Street
Buffalo, NY 14240
Contact Information:
Telephone: 800-888-4910
Emergency Telephone: 860-571-5100

H.M.I.S.
HEALTH 1
FLAMMABILITY 0
REACTIVITY 0
These ratings should be used only
as part of full implemented
H.M.I.S. program.

M A T E R I A L S A F E T Y D A T A S H E E T

SECTION 1 - PRODUCT INFORMATION

DATE OF PREPARATION 9/19/05

TRADE NAME..... PRIMAFIX 26-35-1 PHYSICAL FORM: WATER
MANUFACTURER CODE I.D. / IDH No. 747394 (Formerly a Sovereign Specialty Chemical Inc Product)

SECTION 2 - HAZARDOUS INGREDIENTS/COMPOSITION INFORMATION

INGREDIENT	% BY WGT	CAS NO.	ALLOWABLE	SARA	VP
			EXPOSURE LEVEL	313	mm Hg @ 20 DEG.C
			PPM MG/CU.M.	SKIN	
Contains No Known Hazardous Ingredients					

SECTION 3 - HAZARDS IDENTIFICATION

EFFECTS OF SHORT TERM OVEREXPOSURE
SWALLOWING
Unknown
INHALATION
May cause respiratory irritation.
EYE
May cause transient eye irritation.
Liquid splashed into the eye may cause transient eye irritation.
SKIN
May cause transient skin irritation.
EFFECTS OF REPEATED OVEREXPOSURE
None currently known
SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH.
None currently known

SECTION 4 - FIRST-AID MEASURES

SWALLOWING
If swallowed call Poison Control Center, Hospital Emergency Room, or
Physician immediately.
INHALATION
Remove to fresh air. Get medical attention.
EYE
Flush with large amounts of water, lifting upper and lower lids occasional-
ly. Continue for at least 15 minutes. Get medical attention.
SKIN
Remove contaminated clothing. Wash affected area with soap and water.
Obtain medical attention if irritation persists.
NOTES TO PHYSICIAN
Any treatment that might be required for overexposure should be
directed at the control of symptoms and the clinical conditions.

SECTION 5 - FIRE-FIGHTING MEASURES

NFPA FLAMMABILITY CLASSIFICATION Not Applicable

SECTION 5 - FIRE-FIGHTING MEASURES (Continued)

FLASHPOINT Not applicable
EXTINGUISHING MEDIA
Will not burn.
UNUSUAL FIRE AND EXPLOSION HAZARDS
None known.
SPECIAL FIRE FIGHTING PROCEDURES
None known

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED
Confine in small area; use absorbent to clean up. Place in container for disposal.
WASTE DISPOSAL
Dispose in accordance with federal, state and local regulations.
ENVIRONMENTAL HAZARDS
None known

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE
Protect from freezing.
OTHER PRECAUTIONS
Do not take internally. Close container after each use.
Keep away from children.

SECTION 8 - EXPOSURE CONTROLS

RESPIRATORY PROTECTION
Proper selection of respiratory protection depends upon many factors including duration and level of exposure and conditions of use. In general exposure to organic chemicals such as those contained in this product may not require the use of respiratory protection if used in well ventilated areas. In areas of restricted ventilation a NIOSH approved organic vapor respirator may be required. Under certain conditions, such as spraying, a mechanical prefilter may also be required. In confined areas or in high exposure situations a NIOSH/MSHA approved air supplied respirator may be required. If the TLV's or PEL's listed in Section II are exceeded use a properly fitted NIOSH/MSHA approved respirator with an appropriate protection factor. Refer to OSHA 29 CFR 1910.134 "Respiratory Protection", and "Respiratory Protection a Manual and Guideline, American Industrial Hygiene Association".

VENTILATION
Natural ventilation should be adequate under normal conditions.

HAND PROTECTION
Not likely to be needed.

EYE PROTECTION
Wear safety spectacles with side shields. Wear face shield as necessary when spraying.

OTHER PROTECTIVE EQUIPMENT
Not likely to be needed.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE 212 DEG.F. (100 DEG.C.) TO 234 DEG.F.(112 DEG.C.)

VAPOR DENSITY Heavier than air. % VOLATILE BY VOLUME 50

EVAPORATION RATE VOC .00 lb/gal less water& NPRS* 0 g/l less water CALCULATED
Slower than diethyl ether.

WEIGHT LB./GAL. 8.7 VOC .00 lb/gal solids 0 g/l solids CALCULATED
SPECIFIC GRAVITY 1.0

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (Continued)

All Physical data determined at 68 DEG. F. (20 DEG. C.) 760 mm Hg
* Negligibly Photochemically Reactive Materials

SECTION 10 - STABILITY AND REACTIVITY

STABILITY

Normally stable.

CONDITIONS TO AVOID

None known

INCOMPATIBILITY (MATERIALS TO AVOID)

None known

HAZARDOUS DECOMPOSITION PRODUCTS

Burning, including when heated by welding or cutting, will produce smoke, carbon monoxide and carbon dioxide.

HAZARDOUS POLYMERIZATION

Will not occur

CONDITIONS TO AVOID

None known

SECTION 11 - TOXICOLOGICAL INFORMATION

No information available.

SECTION 12 - ECOLOGICAL INFORMATION

No information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

See Section 6.

SECTION 14 - TRANSPORT INFORMATION

ITEM: / IDH No. 747394

DESC/SIZE: PRIMAFIX 26-35-1

MODE	PROPER SHIPPING NAME	CLASS	I.D.#	PKG	GRP
IATA					
(AIR)	ADHESIVES, NOT REGULATED				
DOT (HM-181)					
(DOMESTIC SURFACE)	ADHESIVES, NOT REGULATED				
IMDG CODE					
(OCEAN)	ADHESIVES, NOT REGULATED				

NOTE! The assignment of Proper Shipping Names is in part a function of the size of the product container and the transport mode. For example, the Proper Shipping Name for a bulk container can differ significantly from the Proper Shipping Name for the same product packaged in a non-bulk container. This can also be true for products shipped via different modes of transportation (i.e. ground, air, ocean). The descriptions provided above are intended to provide some guidance. However, these descriptions may not apply to your package size or mode of shipment. The U.S. Code of Federal Regulations, 49 CFR - Transportation, regulations, and the policies established by some transporters, require that the shipper properly classify and assign a Proper Shipping Name, and label, mark and package the material properly. Therefore, the user of this information is cautioned to consult with applicable regulations, and with qualified advisors prior to the repackaging and or reshipment of this or other any product which contain this product.

SECTION 15 - REGULATORY INFORMATION

SECTION 15 - REGULATORY INFORMATION (Continued)

All ingredients in this product are listed on the US TSCA Inventory.
All ingredients in this product are listed on the Canadian Domestic
Substance List.

SECTION 16 - OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only
and are believed to be reliable. However, Henkel Corporation does not
assume responsibility for any results obtained by persons over whose
methods Henkel Corporation has no control. It is the user's responsibility
to determine the suitability of Henkel's products or any production methods
mentioned herein for a particular purpose, and to adopt such precautions as
may be advisable for the protection of property and persons against any
hazards that may be involved in the handling and use of any of Henkel
Corporation's products. In light of the foregoing, Henkel Corporation
specifically disclaims all warranties, express or implied, including
warranties of merchantability and fitness for a particular purpose, arising
from sale or use of Henkel Corporation's products. Henkel Corporation
further disclaims any liability for consequential or incidental damages of
any kind, including lost profits.

For Safety and Regulatory Information contact:
Product Safety and Regulatory Affairs,
Rocky Hill, CT
860-571-5204