



# SAFETY DATA SHEET

## WST6801MX Soft Touch - WB

Revision Date: 31-Aug-2018

### 1: IDENTIFICATION

**Product Name:** WST6801MX Soft Touch - WB  
**Product Code:** WST6801MX  
**Recommended Use:** For use in industrial installations only

**Manufacturer:** In-Line Finishing Solutions  
1000 N. Lake shore Plaza  
Unit 53A  
Chicago, IL 60611  
Tel. 01-847-774-8899  
Fax. 01-312-643-2151

**Emergency Number:** Tel. 01-630-860-7070

### 2: HAZARD(S) IDENTIFICATION

**Physical Hazard Classification:** This product has no physical hazard classification according to the Globally Harmonized System (GHS).

**Health hazard classifications:** Acute Toxicity, Oral (Category 4)  
Skin Corrosion/Irritation (Category 2)  
Eye Damage/Irritation (Category 2A)  
Acute Toxicity, Inhalation (Category 4)

**Environmental Hazard Classification:** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Other Hazard(s):** Irritating to eyes, skin and respiratory system. Primary routes of exposure are eye contact, skin contact, inhalation and ingestion.

**Signal Word:** WARNING



#### Hazard Statements

H302: Harmful if swallowed  
H319: Causes serious eye irritation

H315: Causes skin irritation  
H332: Harmful if inhaled

#### Precautionary Statements

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
P270: Do not eat, drink or smoke when using this product.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P330: Rinse mouth.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P501: Dispose of contents/container in accordance with all local/regional/national/international regulations.

P264: Wash skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312: Call a POISON CENTER or doctor / physician if you still feel unwell.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P362: Take off contaminated clothing and wash before reuse.

**3: COMPOSITION / INFORMATION ON INGREDIENTS**

Component	CAS Number	Wt %	Class
Water	7732-18-5	55.0 - 60.0	Non-Hazard
Butoxytriglycol	143-22-6	0.1 - 0.5	
Triethylamine	121-44-8	0.1 - 0.5	
Ammonium Hydroxide	1336-21-6	0.1 - 0.5	

**4: FIRST AID MEASURES****Description of first aid measures:**

<b>Eye Contact:</b>	Flush with copious amounts of water for at least 15 minutes while holding eyelids open. If symptoms persist, seek medical attention.
<b>Skin Contact:</b>	Wash immediately with soap and water for at least 15 minutes. If symptoms persist, seek medical attention.
<b>Ingestion:</b>	Seek medical attention. Do not induce vomiting. Rinse mouth and drink plenty of water.
<b>Inhalation:</b>	Remove subject to fresh air. If symptoms persist, seek medical attention.

**Most important symptoms and effects, both acute and delayed:** No information available.

**Indication of any immediate medical care and special treatment needed:** No information available.

**5: FIRE FIGHTING MEASURES****Extinguishing Media:**

<b>Suitable Extinguishing Media:</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Foam, carbon dioxide, dry chemical, water spray.
<b>Unsuitable Extinguishing Media:</b>	No information available.

**Specific Hazards Developing from Chemical or Mixture:**

When exposed to fire, produces normal products of combustion (e.g. carbon dioxide, carbon monoxide, other toxic vapors).

**Special Protective Equipment and Precautions for Firefighters:**

Wear self-contained breathing apparatus and protective suit. Normal fire fighting procedures may be used.

**6: ACCIDENTAL RELEASE MEASURES****Personal Precautions:**

Ensure adequate ventilation. Avoid contact with the skin and eyes by wearing recommended personal protective equipment. Wash thoroughly after handling.

**Emergency Procedures:**

Contains ammonium hydroxide. Do not let spilled or leaking material enter watercourse. Notify appropriate authorities if entry occurs.

**Methods and Materials for Containment:**

Contain spills immediately with spill socks and inert materials (e.g. sand, sawdust, vermiculite).

**Cleanup Procedures:**

Absorb with inert materials (e.g. sand, sawdust, vermiculite). Sweep or scrape up. Place in a container for disposal. Rinse affected area(s) thoroughly with water.

**7: HANDLING AND STORAGE****Handling:**

Avoid contact with the skin and eyes by wearing recommended personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist or dust. Do not eat, drink or smoke in the work area. Mix well before using. Wash thoroughly after handling.

**Storage:**

Keep container tightly closed and store in a cool, dry, well ventilated place. Keep from freezing.

## 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Controls

Component	ACGIH TLV	OSHA PEL
Ammonium Hydroxide	25 ppm	50 ppm
Triethylamine	1 ppm	25 ppm
Butoxytriglycol	Not Established	Not Established

### Personal Protection



<b>Engineering Controls:</b>	Ensure adequate ventilation, especially in confined areas
<b>Respiratory Protection:</b>	No protective equipment is needed under normal conditions of use. If exposure limits are exceeded or irritation is experienced, additional ventilation may be required. Goggles are recommended.
<b>Eye Protection:</b>	Goggles are recommended.
<b>Skin and Body Protection:</b>	Wear chemical resistant gloves/protective clothing.
<b>Hygiene Practices:</b>	When using, do not eat, drink, or smoke. Use good personal hygiene practices. Remove and wash contaminated clothing before re-use.
<b>Special Requirements:</b>	No special requirements under normal conditions of use.

## 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Odor Threshold:</b>	Not Determined	<b>Density (lb/gal):</b>	8.70
<b>pH:</b>	9.0 - 10.5	<b>Relative Density:</b>	1.04
<b>Melting Point:</b>	Not Determined	<b>Solubility in Water:</b>	Complete.
<b>Freezing Point:</b>	Not Determined	<b>Partition Coefficient:</b>	Not Determined
<b>Boiling Point/Range:</b>	Above 200 deg. F	<b>Auto-ignition temp:</b>	Not Determined
<b>Flashpoint:</b>	Not Determined	<b>Decomposition Temp:</b>	Not Determined
<b>Evaporation Rate:</b>	Not Determined	<b>Viscosity:</b>	See Technical Data Sheet
<b>Flammability:</b>	Not Determined	<b>Solvent by Weight (%):</b>	0.78
<b>Flammability - Upper:</b>	Not Determined	<b>Product VOC (lb/gal) (via Method 24):</b>	0.07
<b>Flammability - Lower:</b>	Not Determined		
<b>Vapor Pressure (mmHG):</b>	Not Determined		
<b>Vapor Pressure (AIR=1):</b>	Not Determined		
<b>Vapor Density:</b>	Not Determined		
<b>Appearance and Odor:</b>	Milky liquid with mild odor.		

## 10: STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical Stability:</b>	Stable
<b>Hazardous Polymerization:</b>	Will not occur under suggested/recommended storage conditions.
<b>Conditions to Avoid:</b>	None known.
<b>Materials to Avoid:</b>	None known.
<b>Hazardous Decomposition Products:</b>	When exposed to fire, produces normal products of combustion (e.g. carbon dioxide, carbon monoxide, other toxic vapors).

**11: TOXICOLOGICAL INFORMATION**

**Likely Routes of Exposure:** No information available.  
**Effects:** No information available.  
**Toxicity:** No information available.  
**Symptoms:** No information available.  
**Carcinogenicity:** No information available.

**12: ECOLOGICAL INFORMATION**

**Ecotoxicity Effects:** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**Persistence and Degradability:** No information available  
**Bioaccumulative Potential:** No information available  
**Mobility:** No information available

**13: DISPOSAL CONSIDERATIONS**

**Appropriate Disposal Containers:** Salvage drum, poly-lined drum or equivalent.  
**Waste Disposal Methods:** Dispose of in accordance with all applicable federal, state and local regulations regarding the disposal of non-hazardous materials.  
**Properties Affecting Disposal:** Do not discharge into drains/sewers. Treat as industrial waste.  
**Special Precautions:** Do not allow material to enter watercourse.

**14: TRANSPORTATION INFORMATION**

**ROAD/RAIL TRANSPORT**  
**USDOT** Not classified as a dangerous good under transport regulations.  
**SEA TRANSPORT**  
**IMDG** Not classified as a dangerous good under transport regulations.  
**AIR TRANSPORT**  
**IATA/ICAO** Not classified as a dangerous good under transport regulations.

**15: REGULATORY INFORMATION**

**FEDERAL REGULATIONS**


**SARA 313**

Component	CAS Number	WT %
Triethylamine	121-44-8	0.2 - 0.5
Ammonium Hydroxide	1336-21-6	<=0.1
2-Propanol (Isopropyl Alcohol, Anhydrous)	67-63-0	<=0.05

**TSCA (USA TOXIC SUBSTANCE CONTROL ACT)**

Components listed

**NFPA HAZARD CODES:**





## STATE REGULATIONS

---

This product complies with the US Coalition of Northeast Governors (CONEG). The sum of the heavy metals Lead, Cadmium, Mercury and Hexavalent Chromium is less than 100 ppm.

## GLOBAL REGULATIONS:

---

### CHEMICAL INVENTORY STATUS

AICS (Australia):	Status not determined
DSL (Canada):	Components listed
ECL (Korea):	Status not determined
EINECS (Europe):	Status not determined
ENCS (Japan):	Status not determined
IECSC (China):	Status not determined
NZIoC (New Zealand):	Status not determined
PICCS (Philippines):	Status not determined
TSCA (USA):	Components listed

## 16: OTHER INFORMATION

### R-Phrase(s)

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

This material and its container must be disposed of in a safe way

Refer to manufacturer/supplier for information on recovery/recycling

Avoid release to the environment. Refer to special instructions/safety data sheet

#### SDS STANDARD:

This SDS - Safety Data Sheet / Formerly MSDS or Material Safety Data Sheet is prepared as outlined by US-OSHA's Hazard Communication Standard (29 CFR 1910.1200 (g) and Appendix D of 29 CFR 1910.1200) and may change as full implementation of the Global Harmonized System (GHS) is not required until June 1, 2015.

#### ABBREVIATIONS and ACRONYMS:

ACGIH - American Conference of Industrial Hygienists

CAS - Chemical Abstracts Service

CERCLA - Comprehensive Environmental Response, Compensation and Liability Act

DOT - Department of Transportation

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

HMIS - Hazardous Materials Information Identification System

IATA - International Air Transport Association

ICAO - International Civil Aviation Organization

IMDG - International Maritime Code for Dangerous Goods

NFPA - National Fire Protection Association

NIOSH - National Institute for Occupational Safety and Health

OEL - Occupational Exposure Limit

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

PPE - Personal Protective Equipment

RTK - Right to Know

TLV - Threshold Limit Value

TWA - Time-weighted Average

WHMIS - Workplace Hazardous Materials Information System

#### DISCLAIMER:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.

END OF SAFETY DATA SHEET



Revision Date: 31-Aug-2018